

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. - 27. (Cancelled)

28. (Currently Amended) A method for inducing ~~cell death~~ apoptosis comprising exposing a cell ~~which~~ that overexpresses ErbB2 to an effective amount of an isolated first antibody that binds ~~to an epitope~~ 7C2/7F3 (SEQ ID NO:2) of an ErbB2, ~~to which antibody 7C2 binds~~ wherein said binding induces apoptosis of said cell.

29. (Original) The method of Claim 28 wherein the cell is a cancer cell.

30. (Original) The method of Claim 28 wherein the cell is in a mammal.

31. (Original) The method of Claim 30 wherein the mammal is a human.

32. (Currently Amended) The method of Claim 28 further comprising exposing a cell to a second anti-ErbB2 antibody ~~which~~ that does not bind ~~to an epitope on~~ 7C2/7F3 (SEQ ID NO:2) of ErbB2 ~~to which antibody 7C2 binds~~.

33. (Currently Amended) The method of Claim 28 further comprising exposing the cell to a second antibody ~~which~~ that binds ErbB2 and inhibits growth of SKBR3 cells in cell culture by 50-100%.

34. (Currently Amended) The method of Claim 33 wherein the cell is exposed to the first antibody ~~that binds to an epitope on ErbB2 to which antibody 7C2 binds~~ before the cell is exposed to the second antibody.

35. (Currently Amended) The method of Claim 33 wherein the second antibody binds ~~to~~ epitope 4D5 (SEQ ID NO:4) on ErbB2.

36. (Original) The method of Claim 35 wherein the second antibody has complementarity determining regions (CDRs) of antibody 4D5.

37. (Original) The method of Claim 28 further comprising exposing the cell to a growth inhibitory agent.

38. (Original) The method of Claim 28 further comprising exposing the cell to a chemotherapeutic agent.

39. (Original) The method of Claim 28 further comprising exposing the cell to radiation.

40. (Currently Amended) A The method of claim 28, wherein ~~for inducing cell death comprising exposing a cell which overexpresses ErbB2 to an effective amount of an isolated antibody which binds to ErbB2 and~~ said binding results in about 5 to 50 fold induction of annexin binding relative to untreated cell in an annexin binding assay using B6474 cells.

41. (Canceled)

42. (Currently Amended) A The method of claim 28, further ~~for inducing cell death comprising exposing a cell which overexpresses ErbB2 to an effective amount of a composition comprising an antibody that binds to an epitope on ErbB2 to which antibody 7C2 binds and~~ comprising said antibody and a pharmaceutically acceptable carrier, and wherein the antibody composition results in about 5 to 50 fold induction of annexin binding relative to untreated cell in an annexin binding assay using BT474 cells.

43. (Previously Presented) The method of Claim 42 wherein the cell is a cancer cell.

44. (Previously Presented) The method of Claim 42 wherein the cell is in a mammal.

45. (Previously Presented) The method of Claim 44 wherein the mammal is a human.

46-48. Cancelled

49. (Previously Presented) The method of Claim 28 wherein the antibody is a monoclonal antibody.

50. (Previously Presented) The method of Claim 28 wherein the antibody has nonhuman complementarity determining region (CDR) residues and human framework region (FR) residues.

51. (Previously Presented) The method of Claim 28 wherein the antibody is humanized 7C2.

52. (Previously Presented) The method of Claim 28 wherein the antibody is a human antibody.

53. (Previously Presented) The method of Claim 28 wherein the antibody has complementarity determining regions (CDRs) of antibody 7C2.

54. (Previously Presented) The method of Claim 28 wherein the antibody is an intact antibody.

55. (Previously Presented) The method of Claim 54 wherein the antibody comprises a human IgG heavy chain constant domain.

56. (Previously Presented) The method of Claim 28, wherein said isolated antibody has been purified to greater than 95% by weight as determined by Lowry method.

57. (Previously Presented) The method of Claim 56, wherein said isolated antibody has been purified to greater than 99% by weight as determined by Lowry method.

58. (Cancelled)

59. (Previously Presented) The method of Claim 42, wherein said antibody is selected from the group consisting of a chimeric antibody, a polyclonal antibody, a monoclonal antibody and a humanized antibody.

60. (Cancelled)

61. (Previously Presented) The method of Claim 42, further comprising exposing the cell to a chemotherapeutic agent.

62. (Previously Presented) The method of Claim 42, further comprising exposing the cell to radiation.

63-65. (Cancelled)